Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(alert$1 or alarm$1) near15 component$1 and traffic near3 load$1 near15 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 13:40
L2	0	traffic near3 load$1 near15 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 13:40
L3	48	traffic near15 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 13:40
L4	1	traffic near15 component$1 same (alert$3 or alarm$3) and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 13:41
L5	0	load near15 component$1 same (alert$3 or alarm$3) and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 13:41
L6	0	determin$5 near15 load same (alert$3 or alarm$3) and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:28
L7	0	determin$5 near15 traffic near2 load near15 (component or object) and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:29
L8	3	determin$5 near15 traffic near2 load near15 (component or object)and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:30

L9	47	traffic near2 load near15 (component or object)and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:31
L10	0	traffic near2 load near15 (component or object) same (alert or alarm) and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:31
L11	1	traffic near2 load near15 (component or object) and(alert or alarm) and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:31
S71	80	report$3 near15 context near15 object$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 13:58
S72	57	report$3 near15 context near15 object$1 and (relat$4 or depend$6) near15 object$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 13:59
S73	57	report$3 near15 context near15 object$1 and (relat$4 or depend$6 or relevant) near15 object$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:09
S74	82	"5958012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:03
S75	2	"5958012".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:07

S76	2	"6289380".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:07
S77	31	report$3 near15 alert near15 object$1 and (relat$4 or depend$6 or relevant) near15 object$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:10
S78	1	report$3 near15 context near15 object$1 near15 (alarm$1 or alert$1) and (relat$4 or depend$6 or relevant) near15 object$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:10
S79	21	report$3 near15 alert near15 object$1 and (relat$4 or depend$6 or relevant) near15 object$1 and context	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:11
S80	2	report$3 near15 alert near15 object$1 and (relat$4 or depend$6 or relevant) near15 object$1 and context and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:13
S81	9	report$3 near15 alert near15 object$1 and (relat$4 or depend$6 or relevant) near15 object$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:17
S82	21	report$3 near15 alert near15 object$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:23
S83	16	report$3 near15 (alert$1 or alarm$1) near15 system near2 object$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:25

S84	1361	(alert$1 or alarm$1) near15 system near2 object$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:25
S85	112	(alert$1 or alarm$1) near15 system near2 object$1 and report$3 near10 (alert$1 or alarm$1) and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:27
S86	1	(alert$1 or alarm$1) near15 system near2 object$1 and report$3 near10 (alert$1 or alarm$1) and context near10 message$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:26
S87	112	(alert$1 or alarm$1) near15 system near2 object$1 and report$3 near10 (alert$1 or alarm$1) and object$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:32
S88	40	(alert$1 or alarm$1) near15 system near2 object$1 and report$3 near10 (alert$1 or alarm$1) and (relat$3 or depend$6) near10 object$1 and (@ad<"19970715" or @rlad<"19970715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:36
S89	2	"20030023721" and object$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:41
S90	2	"20030023721" and system near object$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:46
S91	1	"6125390".pn. and object$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 14:46

S92	7980	report$3 near15 (alert or alarm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:15
S93	9465	report$3 near15 (alert$1 or alarm$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:15
S94	2035	report$3 near15 (alert$1 or alarm$1) and context$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:15
S95	65	report$3 near15 (alert$1 or alarm$1) near15 system near10 component$1 and context$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:16
S96	8425040	report$3 near15 (alert$1 or alarm$1) near15 system near10 component$1 near15 relevant or depend$6 or relat$3 or ffect$4and context$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:17
S97	1	report$3 near15 (alert$1 or alarm$1) near15 system near10 component$1 near15 (relevant or depend$6 or relat$3 or affect$4) and context$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:19
S98	2	report$3 near15 (alert$1 or alarm$1) near15 system near10 component$1 near15 (relevant or depend$6 or relat$3 or affect$4) near10 component$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:19
S99	71	report$3 near15 (alert$1 or alarm$1) near15 system near10 component$1 and(relevant or depend$6 or relat$3 or affect$4) near10 component$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:20

S10 0	38	report$3 near15 (alert$1 or alarm$1) near15 system near10 component$1 and(relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:20
S10 1	4	report$3 near15 (alert$1 or alarm$1) near15 system near10 component$1 and(relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:22
S10 2	38	(alert$1 or alarm$1) near15 system near10 component$1 and(relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:23
S10 3	7	(alert$1 or alarm$1) near15 system near10 component$1 near15 (relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:36
S10 4	70	(alert$1 or alarm$1) near15 system near10 component$1 near15 (relevant or depend$6 or relat$3 or affect$4) near10 component$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:28
S10 5	7	(alert$1 or alarm$1) near15 system near10 component$1 near15 (chain$3 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:37
S10 6	7	(alert$1 or alarm$1) near15 system near10 component$1 near15 (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:37

S107	4	(alert$1 or alarm$1) near15 system near10 component$1 near15 (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:39
S108	20	(alert$1 or alarm$1) near15 component$1 near15 (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:40
S109	24	(alert$1 or alarm$1) near15 (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:41
S110	4	(alert$1 or alarm$1) near15 (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and context$1 and (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and (@ad<"19970701" or @rlad<"19970701") not S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:41
S111	180	(alert$1 or alarm$1) and 709/224. ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:42
S112	491	(alert$1 or alarm$1) and 709/22$. ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:42

S11 3	42	(alert$1 or alarm$1) near15 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:43
S11 4	10	(alert$1 or alarm$1) near15 component$1 and depend$4 near10 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S11 5	23	(alert$1 or alarm$1) and component$1 near15 depend$4 near10 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S11 6	18	(alert$1 or alarm$1) near15 component$1 and (relevant or depend$6 or relat$3 or affect$4) near10 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S11 7	18	(alert$1 or alarm$1) near15 component$1 and (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:57
S11 8	8	(alert$1 or alarm$1) near15 component$1 and (chain$4 or relevant or depend$6 or relat$3 or affect$4) near10 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701") not S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 10:05
S11 9	0	(alert$1 or alarm$1) near15 component$1 and other near10 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701") not S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 10:05
S12 0	0	(alert$1 or alarm$1) near15 component$1 and other near10 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 10:05

| S12 1 | 3 | (alert$1 or alarm$1) near15 component$1 and root near10 component$1 and 709/22$.ccls. and (@ad<"19970701" or @rlad<"19970701") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/03 13:39 |